

Use of PIT Tag Technology for Fish Tracking in the Gorge: Who's doing what, where, and why?

Patrick J. Connolly, Ian G. Jezorek, and M. Brady Allen

US Geological Survey
Western Fisheries Research Center
Columbia River Research Laboratory
Cook, WA

U.S. Department of the Interior

U.S. Geological Survey

What I want to do today:

- 1. Give you a feel for PIT tag technology and how it is being used for fish research and management.
- 2. Show what is going on with PIT tags in the Columbia River Gorge.



Passive Integrated Transponder tags "PIT tags" ISO FDX-B, 12 mm, 134.2 kHz















Number of PIT tags used in the Columbia River Basin, 1987-2014



Data from: PTAGIS website; April 2015



Our first installment:


Rattlesnake Creek
August 2001



Development of PIT tag detectors for diverse and increasingly larger locations




N=35 (Small systems)








Project Locations: Current and Recent Past A Compendium of Questions Addressed





Using PIT tag technology to assess effectiveness of small dam removal in Beaver Creek, WA








Martens, K.D., and P.J. Connolly. 2010. Effectiveness of a Redesigned Water Diversion using Rock Vortex Weirs to Enhance Longitudinal Connectivity for Small Salmonids. NAJFM 30:1544-1552.

Using PIT tags to investigate timing and extent of movement by Big Spring Spinedace in Meadow Valley Wash, NV



Jezorek, I. G., and P. J. Connolly. 2013. Distribution and movement of Big Spring spinedace (*Lepidomeda mollispinis pratensis*) in Condor Canyon, Meadow Valley Wash, Nevada. Western North American Naturalist 73:323-336.




Using PIT tag technology to assess juvenile salmonid production in side channels of the Methow River, WA

At low flow:
Disconnected
Partially connected
Fully connected









Martens, K. D., and P.J. Connolly. 2014. Juvenile anadromous salmonid production in upper Columbia River side channels with different levels of hydrological connection. TAFS 143:757-767.




Using PIT tag technology to assess distribution and movement of bull trout in the Jarbidge River, NV





Allen, M.B., P.J. Connolly., M.G. Mesa, J. Charrier, and C. Dixon. 2010. Movement and distribution of bull trout in the upper Jarbidge River watershed, Nevada. U.S. Geological Survey Open-File Report: 2010-1033.

Using PIT tagging and otolith chemistry to assess movement, age, and growth of mountain whitefish in the Methow Subbasin



Benjamin, J. R., L. A. Wetzel, K. D. Martens, K. Larsen, and P. J. Connolly. 2014. Spatio-temporal variability in movement, age, and growth of mountain whitefish (*Prosopium williamsoni*) in a river network based upon PIT tagging and otolith chemistry.

CJFAS 71:131-140.



PIT tagging ======> Record of Future Movements



<====== Otolith chemistry
Record of Past Movements</pre>



Using PIT-tag technology to estimate adult steelhead returns to Trout Creek following removal of Hemlock Dam




Ladder and trap removed in 2009.

Required a new method to count adult steelhead.

WDFW + USGS effort.








Using PIT tag technology to investigate life-history strategies of juvenile steelhead in the Wind River, WA




- Tagging of Age-0 and age-1 steelhead parr in headwaters.
- Recaptures through electrofishing, and WDFW smolt (n=4) and adult trap (n=1).
- Detections at instream readers (n=6) as juveniles and adults.
- Detections at Bonneville Dam as smolts and adults.








Using PIT-tag technology to assess fish distribution, growth, and survival in Rock Creek, WA





The network of PIT tag interrogation systems, Rock Creek





















Measuring performance of two stationary interrogation systems for detecting downstream and upstream movement of PIT-tagged salmonids

Connolly, P.J., I.G. Jezorek, K.D. Martens, and E.F. Prentice

2008. NAJFM 28:402-417




Number of PIT tags used in the Columbia River Gorge, 2013




Total PIT tags put in Salmon and Steelhead in Gorge in 2013: 223,863 (~60%H; 40%W)

Number of PIT Tag Detectors in the Columbia River Gorge



The network of registered PIT tag interrogation systems, Columbia River Basin



From: PTAGIS website; April 2015

Complete	Γag History For	3D9.1C2E	00D2384 ▼					PDF	Start
Tag Info			Site Info		Coord Info		Distrib	oution Info	
Mark and	Release Info	rmation		'		'			
Species-Run-Rear Type		Mark Site Release Site			1	Release River Kilometer			
Wild Steelhead (unknown run)		WIND2R	WIND2R - Wind River, Washington				251.008		
Coordinator		Session Me	ssage					Tag File	
CCP - Charlie Cochran		TRAP EFFIC REL						CCP11141.LW	
Mark Date	Release Date	Conditiona	l Comments (Flags)					Lgth (mm)	Wgt (g)
5/21/2011	05/21/2011	No Brand, I	ight Body Color					166	
Capture Method		Text	Comment						
Screw Trap		FA M	FA MA DS 8947-08 BR						

Recapture, Observation, and Mortality Information

● History Summary
 Observation Detail
 ○ Recap/Mort Detail

Date	Event Type	Site Code	Site Name	Event Site Type	Event Site RKM
06/19/2013	Obs	BO3	Bonneville WA Shore Ladder/AFF	Adult Fishway	234
06/19/2013	Obs	BO4	Bonneville WA Ladder Slots	Adult Fishway	234
10/02/2013	Obs	TRC	Trout Creek, Wind River	Instream Remote Detection System	251.017.002
03/03/2014	Obs	TRC	Trout Creek, Wind River	Instream Remote Detection System	251.017.002
03/11/2014	Obs	TRC	Trout Creek, Wind River	Instream Remote Detection System	251.017.002

COLUMBIA PIT Tag Information System





A crowning achievement of cooperation within the Columbia River Basin!

Go out and PIT tag something!

